

Support Housing Dimensions

<p>inches (mm)</p> <p>(4) .406 (10,31) Dia. Thru Holes</p> <p>(4) 10-32 Dia. x .50 (12,7) Deep on 2.500 (63,5) BC</p> <p>605 Woodruff Keyways on Both Extensions</p>	<p>Simple</p> <p>Weight (each) Aluminum: 0.9 lbs (0,41 kg) Steel: 2.4 lbs (1,09 kg)</p>	<p>(2) .406 (10,3) Dia. Thru Holes, .620 (15,75) Dia. C' Bored x .75 (19,05) Deep</p> <p>Drive End non-Drive End</p>
<p>(4) .406 (10,31) Dia. Thru Holes</p> <p>(4) 10-32 Dia. x .50 (12,7) Deep on 2.500 (63,5) BC</p> <p>605 Woodruff Keyways on Both Extensions</p>	<p>Fixed</p> <p>Weight (each) Aluminum: 2.4 lbs (1,09 kg) Steel: 6.7 lbs (3,04 kg)</p>	<p>(4) .406 (10,3) Dia. Thru Holes, .620 (15,75) Dia. C' Bored x .75 (19,05) Deep</p> <p>(2) 10-32 x .44 (11,18) Deep, both sides</p>
<p>(4) .406 (10,31) Dia. Thru Holes</p> <p>(4) 10-32 Dia. x .50 (12,7) Deep on 2.500 (63,5) BC</p> <p>605 Woodruff Keyways on Both Extensions</p>	<p>Rigid</p> <p>Weight (each) Aluminum: 4.2 lbs (1,91 kg) Steel: 12.1 lbs (5,049 kg)</p>	<p>(4) .406 (10,3) Dia. Thru Holes, .620 (15,75) Dia. C' Bored x .75 (19,05) Deep</p> <p>(2) 10-32 x .44 (11,18) Deep, both sides</p>
<p>NEMA 34 Motor Mount</p> <p>Material: Aluminum Weight: 2.0 lbs (0,91 kg)</p> <p>(4) Holes on 3.875 (98,42) BC Dia. English (M04): #10-24 thd. Metric (M05): M5 thd.</p> <p>2.876 (73,05) Pilot Dia. TYP</p> <p>(2) .221 (5,61) Dia. Thru Holes, .344 (8,74) Dia. C' Bored x .200 (5,08) Deep, both sides</p>	<p>NEMA 42 Motor Mount</p> <p>Material: Aluminum Weight: 3.2 lbs (1,45 kg)</p> <p>(4) Holes on 4.950 (125,73) BC Dia. English (M10): # 1/2-20 thd. Metric (M11): M6 thd.</p> <p>2.189 (55,60) Pilot Dia. TYP</p> <p>(2) .221 (5,61) Dia. Thru Holes, .344 (8,74) Dia. C' Bored x .200 (5,08) Deep, both sides</p>	

Specifications subject to change without notice